



Information on making product data and related service data user accessible (EU Data Act)

Note: Products and related services not listed here are not subject to the EU Data Act.

[Connected Product] - BOSS [200/500 Series]

March 16, 2026

|                  | a-1: Types of product data that can be generated | a-2: Product Data Format | a-3: Estimated volume of product data | b-1: Continuous and real-time generation of product data (available on request) | c-1: Whether your connected product has the ability to store data on your device or on a remote server | c-2: Data retention period (if data can be stored) | d-1: How users can access data, how users can retrieve data, and (if applicable) how users can delete data and the technical means to do so | d-2: Terms of Use and Quality of Service |
|------------------|--|--------------------------|---------------------------------------|---|--|--|---|--|
| IR-200           | Configuration                                    | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | Yes                                      |
| DD-200           | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Unlimited<br>Audio: Until Power Off       | Refer to User Manual  | No                                       |
| EQ-200, other(*) | Configuration                                    | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | No                                       |
| DD-500           | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Unlimited<br>Audio: Only Looper func.     | Refer to User Manual  | Yes                                      |
| MD-500 / RV-500  | Configuration                                    | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | Yes                                      |
|                  |  |                          |                                       |   |  |  |   |  |

(\*) EQ-200, MD-200, OD-200. RV-200, SY-200

Information on making product data and related service data user accessible (EU Data Act)

Note: Products and related services not listed here are not subject to the EU Data Act.

[Connected Product] - BOSS [Compact]

March 16, 2026

|          | a-1: Types of product data that can be generated | a-2: Product Data Format | a-3: Estimated volume of product data | b-1: Continuous and real-time generation of product data (available on request) | c-1: Whether your connected product has the ability to store data on your device or on a remote server | c-2: Data retention period (if data can be stored) | d-1: How users can access data, how users can retrieve data, and (if applicable) how users can delete data and the technical means to do so | d-2: Terms of Use and Quality of Service |
|----------|--|--------------------------|---------------------------------------|---|--|--|---|--|
| DD-8     | Configuration                                    | binary                   | 5 byte                                | On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | No                                       |
| IR-2     | Configuration                                    | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | Yes                                      |
| NS-1X    | Configuration                                    | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Indefinitely                                       | None  | No                                       |
| PX-1     | Configuration, Effects                           | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | Yes                                      |
| RE-2     | Configuration                                    | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | No                                       |
| RT-2     | Configuration                                    | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Only Looper func.  | Refer to User Manual  | No                                       |
| SDE-3    | Configuration                                    | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Only Looper func.  | Refer to User Manual  | No                                       |
| SL-2     | Configuration                                    | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Only Looper func.  | Refer to User Manual  | Yes                                      |
| TU-3(B)  | Configuration                                    | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Indefinitely                                       | None  | No                                       |
| TU-3S(B) | Configuration                                    | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Indefinitely                                       | None  | No                                       |
| TU-3W(B) | Configuration                                    | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Indefinitely                                       | None  | No                                       |
|          |  |                          |                                       |   |  |  |   |  |
|          |  |                          |                                       |   |  |  |   |  |

Not applicant:

AC-3, AD-2, AW-3, BB-1X, BC-1X, BD-2, BD-2-B50A, BD-2W, BF-3, BP-1W,  
 CE-2W, CE-5, CEB-3, CH-1, CP-1X, CS-3, DC-2W, DD-3T, DM-2W, DS-1,  
 DS-1-B50A, DS-1W, DS-1X, DS-2, FZ-1W, FZ-5, GE-7, GEB-7, HM-2W, JB-2,  
 LMB-3, LS-2, MD-2, ML-2, MO-2, MT-2, MT-2W, NS-2, OC-5, OD-1X,  
 OD-1X, OD-3, ODB-3, OS-2, PH-3, PS-6, RV-6, SD-1, SD-1-B50A, SD-1W,  
 SD-1W, ST-2, SY-1, TB-2W, TE-2, TR-2, VB-2W, VO-1, XS-1

Information on making product data and related service data user accessible (EU Data Act)

Note: Products and related services not listed here are not subject to the EU Data Act.

[Connected Product] - BOSS [AMP]

March 16, 2026

|             | a-1: Types of product data that can be generated | a-2: Product Data Format | a-3: Estimated volume of product data | b-1: Continuous and real-time generation of product data (available on request) | c-1: Whether your connected product has the ability to store data on your device or on a remote server | c-2: Data retention period (if data can be stored) | d-1: How users can access data, how users can retrieve data, and (if applicable) how users can delete data and the technical means to do so | d-2: Terms of Use and Quality of Service |
|-------------|--|--------------------------|---------------------------------------|---|--|--|---|--|
| AC-22LX     | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| AC-33 (-xx) | Audio  | binary                   | A few MB                              | Real-time / On-demand   | Yes  | Until Power Off                                    | No  | No                                       |
| ACS-LIVE    | Audio  | binary                   | A few MB                              | Real-time / On-demand   | Yes  | Until Power Off                                    | No  | No                                       |
| ACS-PRO     | Audio  | binary                   | A few MB                              | Real-time / On-demand   | Yes  | Until Power Off                                    | No  | No                                       |
| BC-ART212B  | Configuration                                    | binary                   | A few bytes                           | On-demand   | Yes  | Indefinitely                                       | No  | No                                       |
| BC-ARTISTB  | Configuration                                    | binary                   | A few bytes                           | On-demand   | Yes  | Indefinitely                                       | No  | No                                       |
| BC-HOT-VB   | Configuration                                    | binary                   | A few bytes                           | On-demand   | Yes  | Indefinitely                                       | No  | No                                       |
| BC-STAGE    | Configuration                                    | binary                   | A few bytes                           | On-demand   | Yes  | Indefinitely                                       | No  | No                                       |
| CUBE-ST2    | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| CUBE-ST2RB  | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| KTN-100 3   | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| KTN100BL3   | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| KTN-212 3   | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| KTN-50 3    | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| KTN50 3EX   | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| KTN50BL3    | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| KTN-AIR     | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| KTN-AIREXB  | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| KTN-AIR-SB  | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| KTN-ART 3   | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| KTN-ART3HD  | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |

|            | a-1: Types of product data that can be generated | a-2: Product Data Format | a-3: Estimated volume of product data | b-1: Continuous and real-time generation of product data (available on request) | c-1: Whether your connected product has the ability to store data on your device or on a remote server | c-2: Data retention period (if data can be stored) | d-1: How users can access data, how users can retrieve data, and (if applicable) how users can delete data and the technical means to do so | d-2: Terms of Use and Quality of Service |
|------------|--|--------------------------|---------------------------------------|---|--|--|---|--|
| KTNART-BL3 | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| KTN-HEAD 3 | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| KTN110B    | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| KTN210B    | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| KTN500B HD | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| KTN-GO2    | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| NEX-ARTIST | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| NEX-SPL    | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| NEX-STAGE  | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| DCB-LX     | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| D-CUBELX   | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| WAZA-AIR   | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| WAZA-AIR-B | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| WAZA-TAE   | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
| W-TAE CORE | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | Yes                                      |
|            |  |                          |                                       |   |  |  |   |  |

Not applicant:

ACS-LIVELT, BC TC-EJ, BC TC-NY, BC TC-RF, BC TC-SC, BC TC-UB, BC-CAB410B, CUBE-STEX, CUBE-ST-MI, JC-120P, JC-22, JC-40, KC-200, KC-220, KC-400, KC-600, KC-80, KC-990, KTN-C212W, KTN-CAB212, KTN-MINI, KTN-MINXBL, KTN-MINI X, KTN-C112B, BA-330, BTY-NIMH/A, CM-30, CUBE-10GX, G12W-8, GA-FC EX, GA-FC, MB-CUBE, MOBILE-AC, PM-03, PM-100, PM-200

Information on making product data and related service data user accessible (EU Data Act)

Note: Products and related services not listed here are not subject to the EU Data Act.

[Connected Product] - BOSS [Guitar Synth]

March 16, 2026

|            | a-1: Types of product data that can be generated | a-2: Product Data Format | a-3: Estimated volume of product data | b-1: Continuous and real-time generation of product data (available on request) | c-1: Whether your connected product has the ability to store data on your device or on a remote server | c-2: Data retention period (if data can be stored) | d-1: How users can access data, how users can retrieve data, and (if applicable) how users can delete data and the technical means to do so | d-2: Terms of Use and Quality of Service |
|------------|--|--------------------------|---------------------------------------|---|--|--|---|--|
| GM-800     | Configuration                                    | binary                   | 3MB                                   | Real-time / On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | Yes                                      |
| GP-10GK    | Configuration                                    | binary                   | A few MB                              | Real-time / On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | Yes                                      |
| GR-55GK-BK | Configuration                                    | binary                   | A few MB                              | Real-time / On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | Yes                                      |
| GR-55S-BK  | Configuration                                    | binary                   | A few MB                              | Real-time / On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | Yes                                      |
| GS-1-CTMBK | Configuration                                    | binary                   | A few MB                              | Real-time / On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | Yes                                      |
| SY-1000    | Configuration                                    | binary                   | A few MB                              | Real-time / On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | Yes                                      |
| SY-300     | Configuration                                    | binary                   | A few MB                              | Real-time / On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | Yes                                      |
| VG-800     | Configuration                                    | binary                   | 6MB                                   | Real-time / On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | Yes                                      |
|            |  |                          |                                       |   |  |  |   |  |

Not applicant:

GK-3, GK-3B, GK-5, GK-5B, GK5-KIT-B, GK5-KIT-G6, GK5-KIT-G7,

GKC-10, GKC-5, GKC-AD, GKC-DA, GK-KIT-BG3, GK-KIT-GT3, GKP-2, US-20

Information on making product data and related service data user accessible (EU Data Act)

Note: Products and related services not listed here are not subject to the EU Data Act.

[Connected Product] - BOSS [Looper, BOSS Gear]

March 16, 2026

|           | a-1: Types of product data that can be generated | a-2: Product Data Format | a-3: Estimated volume of product data | b-1: Continuous and real-time generation of product data (available on request) | c-1: Whether your connected product has the ability to store data on your device or on a remote server | c-2: Data retention period (if data can be stored) | d-1: How users can access data, how users can retrieve data, and (if applicable) how users can delete data and the technical means to do so | d-2: Terms of Use and Quality of Service |
|-----------|--|--------------------------|---------------------------------------|---|--|--|---|--|
| RC-1      | Configuration, Audio                             | binary                   | 12 minutes                            | Real-time / On-demand   | Yes  | Indefinitely                                       | None  | None                                     |
| RC-10R    | Configuration, Audio, Sequence                   | binary, WAV              | 6 hours                               | Real-time / On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | Yes                                      |
| RC-202    | Configuration, Audio                             | binary, WAV              | 3 hours                               | Real-time / On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | Yes                                      |
| RC-5      | Configuration, Audio                             | binary, WAV              | 13 hours                              | Real-time / On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | Yes                                      |
| RC-500    | Configuration, Audio                             | binary, WAV              | 13 hours                              | Real-time / On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | Yes                                      |
| RC-505MK2 | Configuration, Audio, Sequence                   | binary, WAV              | 13 hours                              | Real-time / On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | Yes                                      |
| RC-600    | Configuration, Audio, Sequence                   | binary, WAV              | 13 hours                              | Real-time / On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | Yes                                      |
| BR-80     | Configuration, Audio, Sequence                   | binary, WAV              | 32 GB                                 | Real-time / On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | Yes                                      |
| DB-30     | Configuration                                    | binary                   | A few MB                              | On-demand   | Yes  | Indefinitely                                       | None  | None                                     |
| DB-90     | Configuration                                    | binary                   | A few MB                              | On-demand   | Yes  | Indefinitely                                       | None  | None                                     |
| DR-01S    | Configuration, Sequence                          | binary                   | A few MB                              | On-demand   | Yes  | Indefinitely                                       | None  | None                                     |
| EV-1-WL   | Configuration                                    | binary                   | A few KB                              | On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | Yes                                      |
| FS-1-WL   | Configuration                                    | binary                   | A few KB                              | On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | Yes                                      |
| GCS-5     | Configuration                                    | binary                   | 500 KB                                | Real-time / On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | Yes                                      |
| GCS-8     | Configuration, Audio                             | binary, WAV              | 32 GB (microSD)                       | Real-time / On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | Yes                                      |
| JS-10     | Configuration, Audio                             | binary, WAV              | 32 GB (SD)                            | Real-time / On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | Yes                                      |
|           |  |                          |                                       |   |  |  |   |  |
|           |  |                          |                                       |   |  |  |   |  |

Not applicant:

BCB-1000, BCB-30X, BCB-90X, BT-DUAL, DI-1

Information on making product data and related service data user accessible (EU Data Act)

Note: Products and related services not listed here are not subject to the EU Data Act.

[Connected Product] - BOSS [Other]

March 16, 2026

|            | a-1: Types of product data that can be generated | a-2: Product Data Format | a-3: Estimated volume of product data | b-1: Continuous and real-time generation of product data (available on request) | c-1: Whether your connected product has the ability to store data on your device or on a remote server | c-2: Data retention period (if data can be stored) | d-1: How users can access data, how users can retrieve data, and (if applicable) how users can delete data and the technical means to do so | d-2: Terms of Use and Quality of Service |
|------------|--|--------------------------|---------------------------------------|---|--|--|---|--|
| AD-10(B)   | Configuration, Audio                             | binary                   | Tens of MB                            | Real-time / On-demand   | Yes  | Config.: Indefinitely<br>Audio: Until Power Off    | Refer to User Manual  | No                                       |
| DM-101     | Configuration                                    | binary                   | A few MB                              | On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | No                                       |
| RE-202     | Configuration                                    | binary                   | A few MB                              | On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | No                                       |
| SDE-3000D  | Configuration                                    | binary                   | A few MB                              | On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | No                                       |
| SDE3000EVH | Configuration                                    | binary                   | A few MB                              | On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | No                                       |
| XS-100     | Configuration                                    | binary                   | A few MB                              | On-demand   | Yes  | Indefinitely                                       | Refer to User Manual  | No                                       |

|            |               |        |               |           |     |              |             |    |
|------------|---------------|--------|---------------|-----------|-----|--------------|-------------|----|
| TU-02      | Configuration | binary | A few bytes   | Real-time | Yes | Indefinitely | Unavailable | No |
| TU-03      | Configuration | binary | Tens of bytes | Real-time | Yes | Until empty  | Unavailable | No |
| TU-05      | Configuration | binary | A few bytes   | Real-time | Yes | Until empty  | Unavailable | No |
| TU-10(-xx) | Configuration | binary | A few bytes   | Real-time | Yes | Until empty  | Unavailable | No |
| TU-30      | Configuration | binary | Tens of bytes | Real-time | Yes | Until empty  | Unavailable | No |

|           |                      |        |               |                       |     |   |                      |     |
|-----------|----------------------|--------|---------------|-----------------------|-----|---|----------------------|-----|
| ES-5      | Configuration        | binary | Tens of MB    | Real-time / On-demand | Yes | Indefinitely                                    | Refer to User Manual | Yes |
| ES-8      | Configuration        | binary | Tens of MB    | Real-time / On-demand | Yes | Indefinitely                                    | Refer to User Manual | Yes |
| MS-3      | Configuration        | binary | Tens of MB    | Real-time / On-demand | Yes | Indefinitely                                    | Refer to User Manual | Yes |
| VE-1      | Configuration        | binary | Tens of MB    | Real-time / On-demand | Yes | Indefinitely                                    | Refer to User Manual | No  |
| VE-2      | Configuration        | binary | Tens of MB    | Real-time / On-demand | Yes | Indefinitely                                    | Refer to User Manual | No  |
| VE-22     | Configuration, Audio | binary | Tens of MB    | Real-time / On-demand | Yes | Config.: Indefinitely<br>Audio: Until Power Off | Refer to User Manual | No  |
| VE-500    | Configuration, Audio | binary | Tens of MB    | Real-time / On-demand | Yes | Config.: Indefinitely<br>Audio: Until Power Off | Refer to User Manual | Yes |
| VE-8      | Configuration, Audio | binary | Tens of MB    | Real-time / On-demand | Yes | Config.: Indefinitely<br>Audio: Until Power Off | Refer to User Manual | No  |
| WL-20     | Configuration        | binary | Tens of bytes | On-demand             | Yes | Indefinitely                                    | None                 | No  |
| WL-20L    | Configuration        | binary | Tens of bytes | On-demand             | Yes | Indefinitely                                    | None                 | No  |
| WL-30XLR  | Configuration        | binary | Tens of bytes | On-demand             | Yes | Indefinitely                                    | None                 | No  |
| WL-50     | Configuration        | binary | Tens of bytes | On-demand             | Yes | Indefinitely                                    | None                 | No  |
| WL-60     | Configuration        | binary | Tens of bytes | On-demand             | Yes | Indefinitely                                    | None                 | No  |
| WL-60T(2) | Configuration        | binary | Tens of bytes | On-demand             | Yes | Indefinitely                                    | None                 | No  |
| WL-T(2)   | Configuration        | binary | Tens of bytes | On-demand             | Yes | Indefinitely                                    | None                 | No  |

|  |  |                          |                                       |   |  |  |   |  |
|--|--|--------------------------|---------------------------------------|---|--|--|---|--|
|  | a-1: Types of product data that can be generated | a-2: Product Data Format | a-3: Estimated volume of product data | b-1: Continuous and real-time generation of product data (available on request) | c-1: Whether your connected product has the ability to store data on your device or on a remote server | c-2: Data retention period (if data can be stored) | d-1: How users can access data, how users can retrieve data, and (if applicable) how users can delete data and the technical means to do so | d-2: Terms of Use and Quality of Service |
|  |  |                          |                                       |   |  |  |   |  |

Not applicant:

PW-3, AB-2, EV-30, EV-5, FS-5L, FS-5U, FS-6, FS-7,

FV-30H, FV-30L, FV-500H, FV-500L, FV-50H, FV-50L,

PSA-100S2, PSA-120S2, PSA-120ZS2, PSA-220CS2, PSA-220KS2,

PSA-230ES2, PSA230INS2, PSA-230S2, PSA-240S2

Information on making product data and related service data user accessible (EU Data Act)

Note: Products and related services not listed here are not subject to the EU Data Act.

[Related Service] - [Applications]

March 16, 2026

|   | Product Data to be Obtained                         |                            |                           |   |                  | Related Service Data (Telemetry / Other Information)  |                            |                    |                  | Data Usage  |  |
|---|---|----------------------------|---------------------------|---|------------------|---|----------------------------|--------------------|------------------|---|--|
|   | a-1: Data Type                                      | a-2: Estimated Data Volume | a-3: Collection Frequency | a-4: Access Method                          | Retention Period | b-1: Data Type  | b-2: Estimated Data Volume | b-3: Access Method | Retention Period | c-1: Purpose of Data Use  | c-2: Third-Party Disclosure                                      |
| BOSS Effect Loader  | (n/a)   | (n/a)                      | (n/a)                     | (n/a)                                       |                  | Operation logs, error data, device info (OS version), and device details (model code, serial number, product version, content | A few hundred KB per day   | No access method   | Indefinitely     | Content usage aggregation/display and analysis for our marketing (product/app planning, development, improvement) | No   |
| BOSS TONE STUDIO for GT-1000<br>BOSS TONE STUDIO for GX-100<br>BOSS TONE STUDIO for GX-10<br>BOSS TONE STUDIO for GX-1<br>BOSS TONE STUDIO for ME-90<br>BOSS TONE STUDIO for ME-90B | Profile, Liveset info.<br>(Title, Description, Tag) | A few MB per file          | At the User's Discretion  | App and BOSS TONE EXCHANGE Viewing/Download | Indefinitely     | (n/a)   | (n/a)                      | (n/a)              | (n/a)            | App feature delivery and usage analysis   | Data may be shared with external contractors for agreed purposes |
| BOSS TONE STUDIO for KATANA:GO<br>BOSS TONE STUDIO for KATANA-AIR   | Profile, Liveset info.<br>(Title, Description, Tag) | A few MB per file          | At the User's Discretion  | App and BOSS TONE EXCHANGE Viewing/Download | Indefinitely     | (n/a)   | (n/a)                      | (n/a)              | (n/a)            | App feature delivery and usage analysis   | Data may be shared with external contractors for agreed purposes |
| BOSS TONE STUDIO for KATANA Gen3<br>BOSS TONE STUDIO for KATANA BASS<br>BOSS TONE STUDIO for KATANA BASS HEAD   | Profile, Liveset info.<br>(Title, Description, Tag) | A few MB per file          | At the User's Discretion  | App and BOSS TONE EXCHANGE Viewing/Download | Indefinitely     | (n/a)   | (n/a)                      | (n/a)              | (n/a)            | App feature delivery and usage analysis   | Data may be shared with external contractors for agreed purposes |
| BOSS TONE STUDIO for SY-1000<br>BOSS TONE STUDIO for GM-800   | Profile, Liveset info.<br>(Title, Description, Tag) | A few MB per file          | At the User's Discretion  | App and BOSS TONE EXCHANGE Viewing/Download | Indefinitely     | (n/a)   | (n/a)                      | (n/a)              | (n/a)            | App feature delivery and usage analysis   | Data may be shared with external contractors for agreed purposes |
| BOSS TONE STUDIO for VG-800   | Profile, Liveset info.<br>(Title, Description, Tag) | A few MB per file          | At the User's Discretion  | App and BOSS TONE EXCHANGE Viewing/Download | Indefinitely     | (n/a)   | (n/a)                      | (n/a)              | (n/a)            | App feature delivery and usage analysis   | Data may be shared with external contractors for agreed purposes |
| BOSS TONE STUDIO for WAZA-AIR<br>BOSS TONE STUDIO for WAZA-AIR BASS   | Profile, Liveset info.<br>(Title, Description, Tag) | A few MB per file          | At the User's Discretion  | App and BOSS TONE EXCHANGE Viewing/Download | Indefinitely     | (n/a)   | (n/a)                      | (n/a)              | (n/a)            | App feature delivery and usage analysis   | Data may be shared with external contractors for agreed purposes |

Information on making product data and related service data user accessible (EU Data Act)

Note: Products and related services not listed here are not subject to the EU Data Act.

[Related Service] - [Service]

March 16, 2026

|                    | Product Data to be Obtained                     |                            |                           |  |                  | Related Service Data (Telemetry / Other Information) |                            |  |                  | Data Usage                                  |  |
|--------------------|---|----------------------------|---------------------------|--|------------------|--|----------------------------|--|------------------|---|--|
|                    | a-1: Data Type                                  | a-2: Estimated Data Volume | a-3: Collection Frequency | a-4: Access Method   | Retention Period | b-1: Data Type                                       | b-2: Estimated Data Volume | b-3: Access Method   | Retention Period | c-1: Purpose of Data Use                    | c-2: Third-Party Disclosure                                      |
| BOSS TONE EXCHANGE | Profile, Liveset info.(Title, Description, Tag) | A few MB per file          | At the User's Discretion  | Viewing/downloading from the site or from the compatible BOSS TONE STUDIO app. | Indefinitely     | Download operation log, Bookmark                     | Hundreds of bytes          | Viewing from the site or from the compatible BOSS TONE STUDIO app. | Indefinitely     | Service feature delivery and usage analysis | Data may be shared with external contractors for agreed purposes |

